

### MODEL REFERENCE

CASE

SAPPHIRE

(anti-reflective treatment) Caseback sapphire crystal:

MK4 AU

Flat surface with lateral chamfers (anti-reflective treatment) Hardness: 2300 Vickers

Curved surface, double 17-degrees chamfer, hemispherical inner cut

ART 01 - FAI CON EYE Limited edition at 12 pieces

Material: Yellow gold 3N Hand satin finish Main sapphire crystal:

# DIAL

MOVEMENT

Mass: 18.4a

(PVD treatment) Bridges: 3N vellow gold-plated with

a brass base

diamond-cut angle

Base plate: Grade 5 Titanium


Modules: Grade 5 Titanium with two-plane satin finish (PVD treatment)


Material: Falcon's eve stone marguetry on

Caliber: In-house A01 automatic winding

Dimensions: 37.5mm (L) x 33.15mm (H) Thickness: 4.04mm (including weight)

MOVEMENT (suite)	Mass: Reconit®18 with engraving and rhodium plating
	Number of jewels: 32
	Frequency: 4Hz
	«Back in time» seconds hand: running in reverse
	Power reserve: 48 hours
BRACELET WATER RESISTANCE	Nubuck calf leather ALTO deployant clasp in yellow gold 3N 5ATM
WEIGHT	88g





# THE DISTINCTIVE FEATURES OF THE MICRO-ROTOR

The ART OI watch you own is equipped with a movement featuring a micro-rotor. This technical component is distinguished by its dimensions, shape, and position: it is a dense and compact half-disc made of tungsten, integrated into the upper part of the movement. The micro-rotor embodies a wealth of expertise and innovation. It provides the movement with automatic winding capability without compromising its aesthetic appeal and refinement. Indeed, this mechanism offers a clear view of all the gears in the

The use of the micro-rotor also helps reduce the overall thickness of the movement, allowing the AOI caliber to achieve an exceptionally slim profile of just 4.04 mm.

movement

## SETTING THE

Pull the crown outwards.

Turn the crown in either direction to set the hour and minute hands to the correct time you desire

Push the crown back inwards.

complete overhaul.

MAINTENANCE

Due to the highly sophisticated mechanism of the ALTO ART 01, it is advisable to have your watch serviced by our authorized ALTO service center approximately every 3 years for regular maintenance, and every 5 to 7 years for a

#### WATER RESISTANCE

The ART OI is designed to be water-resistant up to 5 bar/ATM. It's important to note that a strong shower stream or faucet can easily exceed the 5 bar pressure limit, compromising the watch's water resistance. To ensure water resistance, always ensure the crown is fully

pushed in against the case. We strongly recommend avoiding wearing your watch during any water-related activities and keeping it away from water.

Please note that any improper use of the watch is not covered by the warranty. If condensation appears under the watch glass, it indicates a malfunction in the sealing system, and it's recommended to contact our service center for inspection and potential repairs.

#### MAGNETISM

the balance spring.

demagnetization if necessary.

In such cases, it is recommended to contact our service center where a specialized watchmaker can examine your watch and perform

Exposing your watch near electronic devices that emit magnetic fields can disrupt its proper

magnetic disturbances can magnetize certain steel components of the movement, especially

with your watch. While watches are designed to withstand typical everyday radiation, significant

devices. They can cause sudden accuracy issues

by various sources such as mobile phones. computers, refrigerators, and other electronic

functioning. These magnetic fields are produced

#### VIBRATIONS

ATIO

mountain biking, or any sudden impacts. These shocks can damage not only the external parts of the watch but also compromise the accuracy of its movement. Any damage resulting from improper use of the watch is not

covered by the warranty.

Avoid exposing your watch to vibrations and shocks from activities such as golf, tennis,



#### **ALTO**

53 avenue Montaigne, 75 008 Paris, France

Société à Responsabilité Limitée (SARL) au capital de 1.000 euros,

SIRET 922 379 433 R.C.S. TVA Intracommunautaire FR 08 922 379 433



WWW.ALTOWATCHES.COM